

## TYRES

Product group	Tyres
Item number	13328085
Valid tyre size	VF 750 / 70 R 44
LI / SI / PR	186 D / 183 E
TL/TT	TL
Brand	Michelin
Tread pattern	AxioBib 2



## Notes and features

- The Michelin AxioBib 2 is suitable for tractors from 160 hp up to 550 hp.
- The VF tyre with its Ultraflex technology enables increased load capacity by up to 40%.
- Furthermore, the tyre is characterised by its low inflation pressure and excellent traction in the field.

## Technical Informations

Item number	13328085
EAN	3528706815690
Valid tyre size	VF 750 / 70 R 44
LI / SI / PR	186 D / 183 E
TL/TT	TL
Brand	Michelin
Tread pattern	AxioBib 2
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	415,00
Recommended rim size	DW25B(A)
Permitted rim size	DW24B(A)
Maximum air pressure [bar].	2,00
Section width (mm)	763
Outer diameter of tyre [mm].	2179
Stat. radius (SLR) [mm]	956
Rolling circumference [mm].	6438
Tread depth (mm)	64,0
Number of lugs	23x2
Tyre capacity 75% [ltr.]	1016
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
186 D	9500	65		2,00	
183 E	8750	70		2,00	