

TYRES

Product group	Tyres
Item number	13328087
Valid tyre size	VF 710 / 70 R 42
LI / SI / PR	182 D / 179 E
TL/TT	TL
Brand	Michelin
Tread pattern	AxioBib 2



Notes and features

- The Michelin AxioBib 2 is suitable for tractors from 160 hp up to 550 hp.
- The VF tyre with its Ultraflex technology enables increased load capacity by up to 40%.
- Furthermore, the tyre is characterised by its low inflation pressure and excellent traction in the field.

Technical Informations

Item number	13328087
EAN	3528705236687
Valid tyre size	VF 710 / 70 R 42
LI / SI / PR	182 D / 179 E
TL/TT	TL
Brand	Michelin
Tread pattern	AxioBib 2
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	356,00
Recommended rim size	DW25B
Permitted rim size	DW23B, MW25B
Maximum air pressure [bar].	2,00
Section width (mm)	731
Outer diameter of tyre [mm].	2066
Stat. radius (SLR) [mm]	906
Rolling circumference [mm].	6104
Tread depth (mm)	65,0
Number of lugs	20x2
Tyre capacity 75% [ltr.]	867
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
182 D	8500	65		2,00	
179 E	7750	70		2,00	