

TYRES

Product group	Tyres
Item number	13371010
Valid tyre size	280 / 80 - 18
LI / SI / PR	132 A8
TL/TT	TL
Brand	Michelin
Tread pattern	Power CL



Notes and features

- Industrial tyre for wheel loaders, backhoe loaders and telescopic handlers.
- Solid lugs and abrasion-resistant rubber compound.
- Extreme lateral stability due to casing plies.

Technical Informations

Item number	13371010
EAN	3528702817780
Valid tyre size	280 / 80 - 18
Alternative size 1	10.5/80-18
LI / SI / PR	132 A8
TL/TT	TL
Brand	Michelin
Tread pattern	Power CL
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	38,00
Recommended rim size	9
Permitted rim size	8, 10
Maximum air pressure [bar].	4,00
Section width (mm)	288
Outer diameter of tyre [mm].	902
Stat. radius (SLR) [mm]	413
Rolling circumference [mm].	2691
Tread depth (mm)	26,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	80
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
132 A8	2000	40		4,00	