

TYRES

| | |
|-----------------|----------------------|
| Product group | Tyres |
| Item number | 13375115 |
| Valid tyre size | 300 / 70 R 16.5 |
| LI / SI / PR | 137 A8 / 137 B |
| TL/TT | TL |
| Brand | Michelin |
| Tread pattern | BibSteel All Terrain |



Bohnenkamp
■ ■ ● Moving Professionals

Notes and features

- Better protection of the tread thanks to a radial steel casing.
- Robust shoulders and sidewalls protected by 3 steel cord plies.
- Very high traction on light soils.
- Designed for skid steer loaders.
- AT version = All-Terrain.

Technical Informations

| | |
|------------------------------|----------------------|
| Item number | 13375115 |
| EAN | 3528706257872 |
| Valid tyre size | 300 / 70 R 16.5 |
| Alternative size 1 | 12R16.5 |
| LI / SI / PR | 137 A8 / 137 B |
| TL/TT | TL |
| Brand | Michelin |
| Tread pattern | BibSteel All Terrain |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | not necessary |
| Nettogewicht [kg] (gültig) | 41,30 |
| Recommended rim size | 9.75 |
| Maximum air pressure [bar]. | 5,00 |
| Section width (mm) | 311 |
| Outer diameter of tyre [mm]. | 832 |
| Stat. radius (SLR) [mm] | 380 |
| Rolling circumference [mm]. | 2481 |
| Tread depth (mm) | 23,0 |
| Number of lugs | 20x2 |
| Tyre capacity 75% [litr.] | 64 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 137 A8 | 2300 | 40 | | 5,00 | |
| 137 B | 2300 | 50 | | 5,00 | |