

TYRES

Product group	Tyres	
Item number	13375230	
Valid tyre size	400 / 70 R 20	
LI / SI / PR	149 A8 / 149 B	
TL/TT	TL	
Brand	Michelin	
Tread pattern	BibLoad Hard Surface	



Notes and features

- The Michelin BibLoad Hard Surface is a tyre for telescopic and skid steer loaders.
- It provides more traction on hard surfaces in dry, wet and slippery conditions.
- The high tread blocks ensure slower wear on abrasive surfaces.
- Its reinforced sidewall provides better protection against impact damage.



Technical Informations

Item number	13375230
EAN	3528707936110
Valid tyre size	400 / 70 R 20
Alternative size 1	405/70R20
LI / SI / PR	149 A8 / 149 B
TL/TT	TL
Brand	Michelin
Tread pattern	BibLoad Hard Surface
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	68,80
Recommended rim size	13
Permitted rim size	12, 14
Maximum air pressure [bar].	4,00
Section width (mm)	403
Outer diameter of tyre [mm].	1058
Stat. radius (SLR) [mm]	480
Rolling circumference [mm].	3143
Tread depth (mm)	29,0
Number of lugs	12x2
Tyre capacity 75% [ltr.]	139
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
149 A8	3250	40		4,00	
149 B	3250	50		4,00	