

TYRES

Product group	Tyres
Item number	13375340
Valid tyre size	500 / 70 R 24
LI / SI / PR	164 A8 / 159 D
TL/TT	TL
Brand	Michelin
Tread pattern	CrossGrip



Bohnenkamp
Moving Professionals



Notes and features

- The Michelin CrossGrip is a versatile municipal tyre for all-season use on roads, grass and snow.
- The tyre provides high loading capacities at speeds up to 65 km/h.
- Its special tread pattern design enables very good traction, even in wintry weather conditions.
- The tyre features excellent steering characteristics, also in reverse.

Technical Informations

Item number	13375340
EAN	3528708752702
Valid tyre size	500 / 70 R 24
LI / SI / PR	164 A8 / 159 D
TL/TT	TL
Brand	Michelin
Tread pattern	CrossGrip
M+S	M+S
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	104,00
Recommended rim size	DW16A
Permitted rim size	DW15L, TW16L
Maximum air pressure [bar].	4,00
Section width (mm)	513
Outer diameter of tyre [mm].	1292
Stat. radius (SLR) [mm]	580
Rolling circumference [mm].	3998
Tread depth (mm)	28,0
Number of lugs	36x2
Tyre capacity 75% [ltr.]	265.5
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
164 A8	5000	40		4,00	
159 D	4375	65		4,00	