

## TYRES

Product group	Tyres
Item number	13626002
Valid tyre size	260 / 70 R 16
LI / SI / PR	109 A8 / 109 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700



Bohnenkamp  
Moving Professionals

  
**TRELLEBORG**

## Notes and features

- The TM 700 is an agricultural radial tyre.
- It provides excellent traction in the field and maximum self-cleaning properties, comfort and very good handling on the road.
- Top-level driving performance.

## Technical Informations

Item number	13626002
EAN	8059971001730
Valid tyre size	260 / 70 R 16
LI / SI / PR	109 A8 / 109 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	19,20
Recommended rim size	8
Permitted rim size	9
Maximum air pressure [bar].	2,40
Section width (mm)	258
Outer diameter of tyre [mm].	770
Stat. radius (SLR) [mm]	340
Rolling circumference [mm].	2310
Tread depth (mm)	32,0
Number of lugs	17x2
Lug width (mm)	27
Tyre capacity 75% [ltr.]	44.8
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
109 A8	1030	40		2,40	
109 B	1030	50		2,40	