

TYRES

Product group	Tyres
Item number	13626057
Valid tyre size	320 / 70 R 20
LI / SI / PR	113 A8 / 113 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700



Bohnenkamp
Moving Professionals


TRELLEBORG

Notes and features

- The TM 700 is an agricultural radial tyre.
- It provides excellent traction in the field and maximum self-cleaning properties, comfort and very good handling on the road.
- Top-level driving performance.

Technical Informations

Item number	13626057
EAN	8059971001822
Valid tyre size	320 / 70 R 20
LI / SI / PR	113 A8 / 113 B
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM700
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	40,10
Recommended rim size	10
Permitted rim size	9, 11
Maximum air pressure [bar].	1,60
Section width (mm)	318
Outer diameter of tyre [mm].	975
Stat. radius (SLR) [mm]	439
Rolling circumference [mm].	2905
Tread depth (mm)	40,0
Number of lugs	22x2
Lug width (mm)	31
Tyre capacity 75% [ltr.]	93.5
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
113 A8	1150	40		1,60	
113 B	1150	50		1,60	