

## TYRES

Product group	Tyres
Item number	13626174
Valid tyre size	480 / 65 R 24
LI / SI / PR	133 D
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM800



Bohnenkamp  
■ ■ ● Moving Professionals

  
**TRELLEBORG**

## Notes and features

- Modern agricultural tyre, approved up to 65 km/h.
- Maximum performance in the field due to extra-large contact area.
- High level of comfort.
- Long service life.

## Technical Informations

Item number	13626174
EAN	8059971028560
Valid tyre size	480 / 65 R 24
LI / SI / PR	133 D
TL/TT	TL
Brand	Trelleborg
Tread pattern	TM800
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	90,61
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	1,60
Section width (mm)	479
Outer diameter of tyre [mm].	1234
Stat. radius (SLR) [mm]	536
Rolling circumference [mm].	3670
Tread depth (mm)	47,0
Number of lugs	21x2
Lug width (mm)	46
Tyre capacity 75% [ltr.]	250
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 D	2060	65		1,60	