

TYRES

Product group	Tyres
Item number	14826350
Valid tyre size	420 / 85 R 24
LI / SI / PR	137 A8 / 137 B
TL/TT	TL
Brand	Vredestein
Tread pattern	TRAXION 85



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- The Traxion 85 is a standard tractor tyre for mid-range tractors.
- Its special tread pattern with curved lugs and rounded shoulders enables high traction while protecting the soil.
- Its flexible casing ensures a big contact area for good ground pressure distribution.
- Its special casing construction with increased volume allows for increased load capacity compared to the older generation standard tyres.
- The bead is reinforced by additional plies, ensuring optimum stability even at higher speeds or on slopes.
- Furthermore, the tyre distinguishes itself through low slip, high ride comfort and a long service life.

Technical Informations

Item number	14826350
EAN	8714692206344
Valid tyre size	420 / 85 R 24
Alternative size 1	16.9R24
LI / SI / PR	137 A8 / 137 B
TL/TT	TL
Brand	Vredestein
Tread pattern	TRAXION 85
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	89,01
Recommended rim size	DW15L
Permitted rim size	W13L, DW13L, W14L , DW14L, W15L
Maximum air pressure [bar].	1,60
Section width (mm)	450
Outer diameter of tyre [mm].	1320
Stat. radius (SLR) [mm]	620
Rolling circumference [mm].	3925
Tread depth (mm)	45,0
Tyre capacity 75% [ltr.]	210
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
137 A8	2300	40		1,60	
137 B	2300	50		1,60	