

## TYRES

Product group	Tyres
Item number	14826370
Valid tyre size	380 / 85 R 28
LI / SI / PR	133 A8 / 133 B
TL/TT	TL
Brand	Vredestein
Tread pattern	TRAXION 85



Bohnenkamp  
■ ■ ● Moving Professionals



## Notes and features

- The Traxion 85 is a standard tractor tyre for mid-range tractors.
- Its special tread pattern with curved lugs and rounded shoulders enables high traction while protecting the soil.
- Its flexible casing ensures a big contact area for good ground pressure distribution.
- Its special casing construction with increased volume allows for increased load capacity compared to the older generation standard tyres.
- The bead is reinforced by additional plies, ensuring optimum stability even at higher speeds or on slopes.
- Furthermore, the tyre distinguishes itself through low slip, high ride comfort and a long service life.

**Technical Informations**

Item number	14826370
EAN	8714692109805
Valid tyre size	380 / 85 R 28
Alternative size 1	14.9R28
LI / SI / PR	133 A8 / 133 B
TL/TT	TL
Brand	Vredestein
Tread pattern	TRAXION 85
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	81,87
Recommended rim size	W13
Permitted rim size	W11, W12, DW13L
Maximum air pressure [bar].	1,60
Section width (mm)	400
Outer diameter of tyre [mm].	1345
Stat. radius (SLR) [mm]	630
Rolling circumference [mm].	3985
Tread depth (mm)	43,4
Tyre capacity 75% [ltr.]	175
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 A8	2060	40		1,60	
133 B	2060	50		1,60	