

TYRES

Product group	Tyres
Item number	14826400
Valid tyre size	340 / 85 R 38
LI / SI / PR	133 A8 / 133 B
TL/TT	TL
Brand	Vredestein
Tread pattern	TRAXION 85



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- The Traxion 85 is a standard tractor tyre for mid-range tractors.
- Its special tread pattern with curved lugs and rounded shoulders enables high traction while protecting the soil.
- Its flexible casing ensures a big contact area for good ground pressure distribution.
- Its special casing construction with increased volume allows for increased load capacity compared to the older generation standard tyres.
- The bead is reinforced by additional plies, ensuring optimum stability even at higher speeds or on slopes.
- Furthermore, the tyre distinguishes itself through low slip, high ride comfort and a long service life.

Technical Informations

Item number	14826400
EAN	8714692109850
Valid tyre size	340 / 85 R 38
Alternative size 1	13.6R38
LI / SI / PR	133 A8 / 133 B
TL/TT	TL
Brand	Vredestein
Tread pattern	TRAXION 85
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	89,68
Recommended rim size	W12
Permitted rim size	W11, DW12
Maximum air pressure [bar].	1,60
Section width (mm)	360
Outer diameter of tyre [mm].	1550
Stat. radius (SLR) [mm]	730
Rolling circumference [mm].	4680
Tread depth (mm)	41,0
Tyre capacity 75% [litr.]	170
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 A8	2060	40		1,60	
133 B	2060	50		1,60	