

TYRES

| | |
|-----------------|------------------------|
| Product group | Tyres |
| Item number | 15212759 |
| Valid tyre size | 710 / 45 - 26.5 |
| LI / SI / PR | 175 A2 / 168 A8, 20 PR |
| TL/TT | TL |
| Brand | Alliance |
| Tread pattern | Forestar 344 ELIT |



Notes and features

- The Alliance 344 Forestar Elit is the first and, until now, only low-pressure tyre for forestry use.
- The innovative ELIT technology (Engineered Low Inflation Tyre) enables the same loading capacity at 50% reduced inflation pressure compared with a standard forestry tyre.
- Its large footprint, enlarged by 26%, provides high traction and optimum soil protection.
- Additionally, the special construction offers excellent sidewall stability.
- Due to the steel belt-reinforced casing and the special forestry rubber compound, the tyre is protected against punctures and premature wear ensuring a long service life.
- The tractor pattern provides good grip and self-cleaning on all surfaces.
- The close spacing between the lugs in the tread centre leads to reduced rolling resistance when driving on hard surfaces.

Technical Informations

| | |
|------------------------------|------------------------|
| Item number | 15212759 |
| EAN | 7291050084581 |
| Valid tyre size | 710 / 45 - 26.5 |
| LI / SI / PR | 175 A2 / 168 A8, 20 PR |
| TL/TT | TL |
| Brand | Alliance |
| Tread pattern | Forestar 344 ELIT |
| TRA Code | HF-2 |
| Carcass properties | Low Pressure |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 106 |
| Nettogewicht [kg] (gültig) | 219,40 |
| Recommended rim size | 24.00 |
| Maximum air pressure [bar]. | 2,50 |
| Section width (mm) | 710 |
| Outer diameter of tyre [mm]. | 1330 |
| Stat. radius (SLR) [mm] | 602 |
| Rolling circumference [mm]. | 3974 |
| Tread depth (mm) | 50,8 |
| Number of lugs | 16x2 |
| Tyre capacity 75% [ltr.] | 331.5 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 175 A2 | 6900 | 10 | | 2,50 | |
| 168 A8 | 5600 | 40 | | 2,50 | |