

TYRES

Product group	Tyres
Item number	15215825
Valid tyre size	28 L R 26
LI / SI / PR	176 A8 / 173 B
TL/TT	TL
Brand	Alliance
Tread pattern	390



Notes and features

- Ideal for longer transport and grassland use.
- Block tread pattern for smooth handling on long road journeys and soil protection when driving on grassland.
- Low rolling resistance for minimum fuel consumption.
- High tread depth for a long service life.
- Steel belt reinforcement for high load capacities and improved stability.

Technical Informations

Item number	15215825
EAN	7291050022859
Valid tyre size	28 L R 26
LI / SI / PR	176 A8 / 173 B
TL/TT	TL
Brand	Alliance
Tread pattern	390
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	213,50
Recommended rim size	25
Maximum air pressure [bar].	2,80
Section width (mm)	727
Outer diameter of tyre [mm].	1542
Stat. radius (SLR) [mm]	688
Rolling circumference [mm].	4520
Tread depth (mm)	27,5
Tyre capacity 75% [ltr.]	585
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
176 A8	7100	40		2,80	
173 B	6500	50		2,80	