

TYRES

Product group	Tyres
Item number	15222757
Valid tyre size	700 / 70 - 34
LI / SI / PR	180 A2 / 173 A8, 20 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Forestar 346



Notes and features

- The Alliance Forestar 346 was developed for modern harvesters and transport equipment operating on harsh ground conditions in forestry applications.
- The tyre provides high traction, low slip and low fuel consumption.
- Its huge volume ensures low soil compaction and good ride comfort in forestry and agricultural use.
- Due to its strong nylon casing with steel belts, high undertread gauge, high and robust lugs, strong sidewalls and a sturdy rubber compound, the tyre is particularly durable.

Technical Informations

Item number	15222757
EAN	7291050061667
Valid tyre size	700 / 70 - 34
LI / SI / PR	180 A2 / 173 A8, 20 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Forestar 346
TRA Code	LS-2
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	328,49
Recommended rim size	20
Maximum air pressure [bar].	4,20
Section width (mm)	721
Outer diameter of tyre [mm].	1850
Stat. radius (SLR) [mm]	863
Rolling circumference [mm].	5611
Tread depth (mm)	42,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	975
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
180 A2	8000	10		4,20	
173 A8	6500	40		4,20	