

TYRES

Product group	Tyres
Item number	15222801
Valid tyre size	540 / 65 - 38
LI / SI / PR	160 A2 / 153 A8
TL/TT	TL
Brand	Alliance
Tread pattern	Forestry 360



Notes and features

- The Alliance Forestry 360 is a forestry tyre for light forestry applications.
- Its low lug angles provide excellent traction.
- Due to the strong nylon casing with steel breakers, high undertread gauge and reinforced sidewalls and tread pattern, the tyre is particularly robust.
- The tyre can also be used for agro-industrial applications.

Technical Informations

Item number	15222801
EAN	7291050065269
Valid tyre size	540 / 65 - 38
LI / SI / PR	160 A2 / 153 A8
TL/TT	TL
Brand	Alliance
Tread pattern	Forestry 360
TRA Code	R1-W
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	202,00
Recommended rim size	16
Permitted rim size	18
Maximum air pressure [bar].	2,40
Section width (mm)	518
Outer diameter of tyre [mm].	1699
Stat. radius (SLR) [mm]	793
Rolling circumference [mm].	5125
Tread depth (mm)	50,0
Number of lugs	23x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
160 A2	4500	10		2,40	
153 A8	3650	40		2,40	