Bohnenkamp Moving Professionals

TYRES

Product group	Tyres	
Item number	15222819	
Valid tyre size	650 / 65 - 38	
LI / SI / PR	179 A2 / 171 A8, 16 PR	
TL/TT	TL	
Brand	Alliance	
Tread pattern	Forestar 342	





Notes and features

- The Alliance Forestar 342 is a modern, radial agricultural . tractor tyre for forestry tractors.
- The tyre provides excellent traction and grip, high stability • and a durable tread compound.
- The strong, steel-reinforced nylon casing protects the tyre against punctures.
- Additionally, the tread pattern is reinforced with • intermediate lugs in the shoulder area preventing damage from stones and branches.
- Matching bogie ribbons are available on the market. •

Bohnenkamp Moving Professionals

Technical Informations

Item number	15222819
EAN	7291050060080
Valid tyre size	650 / 65 - 38
LI / SI / PR	179 A2 / 171 A8, 16 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Forestar 342
TRA Code	LS-2
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	245,72
Recommended rim size	20
Permitted rim size	18
Maximum air pressure [bar].	3,20
Section width (mm)	660
Outer diameter of tyre [mm].	1840
Stat. radius (SLR) [mm]	850
Rolling circumference [mm].	5586
Tread depth (mm)	53,0
Tyre capacity 75% [ltr.]	812
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
179 A2	7750	10		3,20	
171 A8	6150	40		3,20	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.