

TYRES

Product group	Tyres
Item number	15223090
Valid tyre size	420 / 70 - 28
LI / SI / PR	147 A2 / 140 A8, 14 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Agro Forestry 370



Notes and features

- The Alliance Agro Forestry 370 of the 70 series was designed for agricultural tractors used in the forest and on fields.
- The tyre enables combined work in the field and in the forest without any inflation pressure adaptation.
- The tyre structure maintains the high elastic characteristics that enable high traction in the field and low soil compaction.
- At the same time, the strong nylon casing with steel breakers and the durable rubber compound provide effective damage resistance in forestry applications.
- The Alliance Agro Forestry 370 70 series was developed for tractors working simultaneously in forests and fields.

Technical Informations

Item number	15223090
EAN	7291050046305
Valid tyre size	420 / 70 - 28
LI / SI / PR	147 A2 / 140 A8, 14 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Agro Forestry 370
TRA Code	R1-W
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	103,02
Recommended rim size	13
Permitted rim size	12, 14
Maximum air pressure [bar].	2,50
Section width (mm)	418
Outer diameter of tyre [mm].	1364
Stat. radius (SLR) [mm]	633
Rolling circumference [mm].	4095
Tread depth (mm)	44,0
Lug width (mm)	45-32
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
147 A2	3075	10		2,50	
140 A8	2500	40		2,50	