

TYRES

Product group	Tyres
Item number	15223320
Valid tyre size	380 / 85 - 28
LI / SI / PR	139 A8 / 136 B, 14 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Agro Forestry 333



Notes and features

- The Alliance Agro Forestry 333 is a newly-developed 85 series steel belted forestry tyre for tractors used in forestry.
- The tyre is characterised by good grip, high traction, low slip and low fuel consumption.
- Due to its extra-large contact area, large tread depth and cut- and puncture-resistant rubber compound, the tyre is very sturdy and durable.
- The solid bead core and reinforced sidewalls with a high ply turn-up in the bead area ensure excellent stability and puncture protection.
- The lugs are 25% higher than on standard R-1 tyres and provide high traction even on wet soil.

Technical Informations

Item number	15223320
EAN	8903635010661
Valid tyre size	380 / 85 - 28
LI / SI / PR	139 A8 / 136 B, 14 PR
TL/TT	TL
Brand	Alliance
Tread pattern	Agro Forestry 333
TRA Code	R1-W
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	94,81
Recommended rim size	12
Maximum air pressure [bar].	2,40
Section width (mm)	380
Outer diameter of tyre [mm].	1368
Stat. radius (SLR) [mm]	623
Rolling circumference [mm].	4060
Tread depth (mm)	44,0
Number of lugs	17x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
139 A8	2430	40		2,40	
136 B	2240	50		2,40	