

TYRES

Product group	Tyres
Item number	15225158
Valid tyre size	620 / 75 R 30
LI / SI / PR	169 A8 / 166 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 378 XL



Notes and features

- Super volume tyre for high-performance tractors from approx. 200 hp and harvesters.
- Designed for versatile applications.
- Comfortable on-road handling and high traction combined with very good self-cleaning properties in field operations.
- Built-in steel belts for extra stability, protection against punctures and large contact area.
- Innovative rubber compound for a longer service life and flexible sidewalls (for air pressure adjustment).

Technical Informations

Item number	15225158
EAN	8903635013952
Valid tyre size	620 / 75 R 30
LI / SI / PR	169 A8 / 166 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 378 XL
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	208,83
Recommended rim size	20
Maximum air pressure [bar].	3,20
Section width (mm)	590
Outer diameter of tyre [mm].	1692
Stat. radius (SLR) [mm]	830
Rolling circumference [mm].	5025
Tread depth (mm)	45,0
Number of lugs	20x2
Tyre capacity 75% [ltr.]	511
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
169 A8	5800	40		3,20	
166 D	5300	65		3,20	