

## TYRES

Product group	Tyres
Item number	15226728
Valid tyre size	420 / 65 R 24
LI / SI / PR	126 A8 / 126 B
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 365



## Notes and features

- Agricultural radial wide tyre of the 65 series (70 series with 710 width) for powerful tractors up to approx. 250 hp.
- Very gentle tillage due to high air volume and large contact area.
- Lug shape and arrangement allows optimum traction power distribution.
- With 65 km/h approval, suitable for frequent road use.

**Technical Informations**

Item number	15226728
EAN	8903635016304
Valid tyre size	420 / 65 R 24
LI / SI / PR	126 A8 / 126 B
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar 365
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	63,20
Recommended rim size	13
Maximum air pressure [bar].	1,60
Section width (mm)	418
Outer diameter of tyre [mm].	1156
Stat. radius (SLR) [mm]	516.00
Rolling circumference [mm].	3412
Tread depth (mm)	37,0
Number of lugs	20x2
Tyre capacity 75% [litr.]	153
Guarantee period	7 years
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
126 A8	1700	40		1,60	
126 B	1700	50		1,60	