

TYRES

Product group	Tyres
Item number	15226749
Valid tyre size	600 / 60 R 28
LI / SI / PR	167 A2 / 159 A8
TL/TT	TL
Brand	Alliance
Tread pattern	Forestar 342



Notes and features

- The Alliance Forestar 342 is a modern, radial agricultural tractor tyre for forestry tractors.
- The tyre provides excellent traction and grip, high stability and a durable tread compound.
- The strong, steel-reinforced nylon casing protects the tyre against punctures.
- Additionally, the tread pattern is reinforced with intermediate lugs in the shoulder area preventing damage from stones and branches.
- Matching bogie ribbons are available on the market.

Technical Informations

Item number	15226749
EAN	7291050057776
Valid tyre size	600 / 60 R 28
LI / SI / PR	167 A2 / 159 A8
TL/TT	TL
Brand	Alliance
Tread pattern	Forestar 342
TRA Code	LS-2
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	208,01
Recommended rim size	20
Permitted rim size	18
Maximum air pressure [bar].	3,20
Section width (mm)	616
Outer diameter of tyre [mm].	1420
Stat. radius (SLR) [mm]	660
Rolling circumference [mm].	4335
Tread depth (mm)	50,0
Number of lugs	18x2
Tyre capacity 75% [ltr.]	331.5
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
167 A2	5450	10		3,20	
159 A8	4375	40		3,20	