

TYRES

Product group	Tyres
Item number	15226758
Valid tyre size	VF 600 / 65 R 28 NRO
LI / SI / PR	163 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar VF 365



Notes and features

- The Alliance 365 as a VF tyre is a modern agricultural tyre for powerful tractors up to 250 hp.
- The VF technology (Very High Flexion) enables up to 40% higher loading capacity at the same inflation pressure and speed.
- Due to the large contact area and low inflation pressure, the soil is optimally protected.
- The shape and arrangement of lugs allow optimum traction power distribution.
- Thanks to the NRO technology (Narrow Rim Option), the tyre can also be mounted on a narrower rim than e.g. IF and VF tyres of the same size in other versions or from other suppliers.
- As the tyre is approved for speeds up to 65 km/h, it is also suitable for road transport.

Technical Informations

Item number	15226758
EAN	8903635022701
Valid tyre size	VF 600 / 65 R 28 NRO
LI / SI / PR	163 D
TL/TT	TL
Brand	Alliance
Tread pattern	Agristar VF 365
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	161,00
Recommended rim size	20
Permitted rim size	21
Maximum air pressure [bar].	2,00
Section width (mm)	615
Outer diameter of tyre [mm].	1491
Stat. radius (SLR) [mm]	648
Rolling circumference [mm].	4436
Tread depth (mm)	55,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	390
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
163 D	4875	65		2,00	