

TYRES

Product group	Tyres
Item number	15227018
Valid tyre size	14.9L R 20
LI / SI / PR	119 A8 / 116 B
TL/TT	TL
Brand	Alliance
Tread pattern	387





Notes and features

- Agricultural tyre developed specifically for grassland and delicate soils.
- Ideal for landscape maintenance as well as fruit and viticulture.
- Concentrically-overlapping lugs for a larger contact area and thus lower ground pressure.
- Rounded lug shoulders for gentle driving on grasslands.
- High stability even when driving on slopes.



Technical Informations

Item number	15227018
EAN	8903635006336
Valid tyre size	14.9L R 20
Alternative size 1	375/75R20
LI / SI / PR	119 A8 / 116 B
TL/TT	TL
Brand	Alliance
Tread pattern	387
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	55,17
Recommended rim size	13
Maximum air pressure [bar].	1,60
Section width (mm)	378
Outer diameter of tyre [mm].	1073
Stat. radius (SLR) [mm]	484
Speed Radius Index (SRI)	500
Rolling circumference [mm].	3144
Tread depth (mm)	35,5
Tyre capacity 75% [ltr.]	125
Guarantee period	7 years
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
119 A8	1360	40		1,60	
116 B	1250	50		1,60	