

TYRES

Product group	Tyres
Item number	15227680
Valid tyre size	380 / 85 R 34
LI / SI / PR	137 A8 / 137 B
TL/TT	TL
Brand	Alliance
Tread pattern	FarmPRO II



Notes and features

- 70 series agricultural tyre for tractors in the low- to medium-power range up to approx. 180 hp (except 710 width).
- All-round tyre for use on farmland and grassland.
- R-1W drive tread pattern with high multi-angle lugs ensures good traction on wet ground.
- Reinforced beads and sidewalls as well as a wide lug contact area in the centre provide high ride comfort.

Technical Informations

Item number	15227680
EAN	8903635013167
Valid tyre size	380 / 85 R 34
Alternative size 1	14.9R34
LI / SI / PR	137 A8 / 137 B
TL/TT	TL
Brand	Alliance
Tread pattern	FarmPRO II
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	93,44
Recommended rim size	12
Permitted rim size	11
Maximum air pressure [bar].	1,60
Section width (mm)	380
Outer diameter of tyre [mm].	1510
Stat. radius (SLR) [mm]	680
Rolling circumference [mm].	4455
Tyre capacity 75% [ltr.]	210
Guarantee period	7 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
137 A8	2300	40		1,60	
137 B	2300	50		1,60	