

TYRES

Product group	Tyres
Item number	15710515
Valid tyre size	26 x 12.00 - 12
LI / SI / PR	116 A3 / 112 A6, 8 PR
TL/TT	TL
Brand	BKT
Tread pattern	TR 315



Notes and features

- Excellent traction.
- Resistant rubber compound protects against punctures for longer durability.

Technical Informations

Item number	15710515
EAN	8903094022410
Valid tyre size	26 x 12.00 - 12
LI / SI / PR	116 A3 / 112 A6, 8 PR
TL/TT	TL
Brand	BKT
Tread pattern	TR 315
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	14,19
Recommended rim size	10.5JA
Permitted rim size	8.5JA, 9.5JA
Maximum air pressure [bar].	3,00
Section width (mm)	308
Outer diameter of tyre [mm].	655
Stat. radius (SLR) [mm]	289
Rolling circumference [mm].	1905
Tread depth (mm)	19,0
Number of lugs	20x2
Lug width (mm)	14
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
116 A3	1250	15		3,00	
112 A6	1120	30		3,00	