

## TYRES

Product group	Tyres
Item number	15726609
Valid tyre size	320 / 70 R 24
LI / SI / PR	116 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax RT 765



## Notes and features

- Wide-base tyre of the 70 series for tractors in the low to medium-power range.
- Low soil compaction and good self-cleaning properties.
- Mainly used both in arable farming and grassland.
- Optimized rubber compound: 25% less wear, 30% improved cut and release resistance and 20% more traction.

## Technical Informations

Item number	15726609
EAN	8903094063031
Valid tyre size	320 / 70 R 24
LI / SI / PR	116 D
TL/TT	TL
Brand	BKT
Tread pattern	Agrimax RT 765
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	47,28
Recommended rim size	W10
Permitted rim size	W9, W11
Maximum air pressure [bar].	1,60
Section width (mm)	319
Outer diameter of tyre [mm].	1094
Stat. radius (SLR) [mm]	502
Rolling circumference [mm].	3245
Tread depth (mm)	40,0
Number of lugs	19x2
Lug width (mm)	29
Tyre capacity 75% [ltr.]	93.75
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
116 D	1250	65		1,60	