

## TYRES

Product group	Tyres
Item number	15731161
Valid tyre size	16.0 / 70 - 20
LI / SI / PR	145 G, 14 PR
TL/TT	TL
Brand	BKT
Tread pattern	MP 567



Bohnenkamp  
■ ■ ■ Moving Professionals



## Notes and features

- The BKT MP 567 is a multi purpose tyre offering maximum flexibility.
- The tyre features good traction in all weathers.
- Suitable for on- and off-road use.
- The open tread pattern allows for efficient self-cleaning.
- Suitable for use on vehicles such as Unimogs, backhoe loaders, dumpers, etc.

## Technical Informations

Item number	15731161
EAN	8903094038305
Valid tyre size	16.0 / 70 - 20
Alternative size 1	405/70-20
LI / SI / PR	145 G, 14 PR
TL/TT	TL
Brand	BKT
Tread pattern	MP 567
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54
Nettogewicht [kg] (gültig)	66,92
Recommended rim size	13SDC
Permitted rim size	12
Maximum air pressure [bar].	3,50
Section width (mm)	405
Outer diameter of tyre [mm].	1128
Stat. radius (SLR) [mm]	490
Rolling circumference [mm].	3350
Tread depth (mm)	25,0
Number of lugs	20x2
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
145 G	2900	90		3,50	
	3340	40		3,50	