

TYRES

Product group	Tyres
Item number	15771104
Valid tyre size	27 x 10 - 12
LI / SI / PR	142 A8, 16 PR
TL/TT	TT
SET	Tube + Flap
Brand	BKT
Tread pattern	Power Trax HD Forklift



Notes and features

- The BKT Power Trax HD Forklift is a premium tyre, designed for forklifts in industrial applications.
- Its deep tread pattern, extra thick sidewalls and tough casing protect the tyre from cuts, tears and punctures.
- The tyre is characterised by outstanding durability and is especially suitable for rough and hard concrete surfaces.
- The specially designed rim guard ensures protection against damage in the rim flange area.

Technical Informations

Item number	15771104
EAN	8903094007752
Valid tyre size	27 x 10 - 12
Alternative size 1	250/75-12
LI / SI / PR	142 A8, 16 PR
TL/TT	TT
SET	Tube + Flap
Valve designation	JS 2
Ventilposition	lateral
Brand	BKT
Tread pattern	Power Trax HD Forklift
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	29,90
Recommended rim size	8.00G
Maximum air pressure [bar].	8,00
Section width (mm)	255
Outer diameter of tyre [mm].	690
Tread depth (mm)	22,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
142 A8	2650	40	Steering wheel	8,00	
	3900	25	Load wheel	8,00	
	3000	25	Steering wheel	8,00	