

TYRES

Product group	Tyres	
Item number	15771180	
Valid tyre size	10.00 - 20	
LI / SI / PR	175 A2, 18 PR	
TL/TT	тт	
SET	Tube + Flap	
Brand	ВКТ	
Tread pattern	Power Trax HD Forklift	





Notes and features

- The BKT Power Trax HD Forklift is a premium tyre, designed for forklifts in industrial applications.
- Its deep tread pattern, extra thick sidewalls and tough casing protect the tyre from cuts, tears and punctures.
- The tyre is characterised by outstanding durability and is especially suitable for rough and hard concrete surfaces.
- The specially designed rim guard ensures protection against damage in the rim flange area.



Technical Informations

Item number	15771180
EAN	8903094007639
Valid tyre size	10.00 - 20
LI / SI / PR	175 A2, 18 PR
TL/TT	тт
SET	Tube + Flap
Ventilposition	central
Brand	BKT
Tread pattern	Power Trax HD Forklift
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	79,79
Recommended rim size	7.5
Permitted rim size	8.0
Maximum air pressure [bar].	10,00
Section width (mm)	285
Outer diameter of tyre [mm].	1080
Stat. radius (SLR) [mm]	501
Tread depth (mm)	30,5
E-Ready	No



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
175 A2	6900	10	Load wheel	10,00	
	6890	25	Steering wheel	10,00	
	5300	25		10,00	