

TYRES

Product group	Tyres
Item number	15772281
Valid tyre size	7.50 - 15
LI / SI / PR	145 A2, 14 PR
TL/TT	TT
Brand	BKT
Tread pattern	Pac Master Plus



Bohnenkamp
■ ■ ● Moving Professionals



Notes and features

- The Pac Master Plus is a treadless tyre specially developed for soil compaction machines.
- It provides high stability, uniform pressure distribution and compaction thanks to its wide contact area.
- Its special, heat-resistant rubber compound ensures a long service life.

Technical Informations

Item number	15772281
EAN	8903094048809
Valid tyre size	7.50 - 15
LI / SI / PR	145 A2, 14 PR
TL/TT	TT
Brand	BKT
Tread pattern	Pac Master Plus
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	28,33
Recommended rim size	6.0
Permitted rim size	6.5
Maximum air pressure [bar].	8,75
Section width (mm)	225
Outer diameter of tyre [mm].	790
Stat. radius (SLR) [mm]	375
Rolling circumference [mm].	2385
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
145 A2	2900	10		8,75	
	2300	15		8,75	