

TYRES

Product group	Tyres
Item number	15772633
Valid tyre size	16.00 - 25
LI / SI / PR	32 PR
TL/TT	TL
Brand	BKT
Tread pattern	XL Grip



Notes and features

- The BKT XL-Grip is a non-directional tyre with a wide, robust tread pattern design.
- A special silica tread compound and a hard-wearing nylon casing ensure the best possible resistance against cuts and impact damage.
- The BKT XL-Grip Series is suitable for numerous vehicles and uses.

Technical Informations

Item number	15772633
EAN	8903094015696
Valid tyre size	16.00 - 25
LI / SI / PR	32 PR
TL/TT	TL
Brand	BKT
Tread pattern	XL Grip
TRA Code	E3/L3
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	234,39
Recommended rim size	11.25/2.0
Permitted rim size	13.00/2.0
Maximum air pressure [bar].	8,75
Section width (mm)	465
Outer diameter of tyre [mm].	1485
Stat. radius (SLR) [mm]	682
Rolling circumference [mm].	4395
Tread depth (mm)	30,0
Number of lugs	32x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
	12500	10		8,75	
	7300	50		6,50	