

TYRES

Product group	Tyres
Item number	15772636
Valid tyre size	16.00 - 25
LI / SI / PR	32 PR
TL/TT	TL
Brand	ВКТ
Tread pattern	XL Grip



Notes and features

- The BKT XL-Grip is a non-directional tyre with a wide, robust tread pattern design.
- A special silica tread compound and a hard-wearing nylon casing ensure the best possible resistance against cuts and impact damage.
- The BKT XL-Grip Series is suitable for numerous vehicles and uses.



Technical Informations

Item number	15772636
EAN	8903094031900
Valid tyre size	16.00 - 25
LI / SI / PR	32 PR
TL/TT	TL
Brand	ВКТ
Tread pattern	XL Grip
TRA Code	IND3
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	234,39
Recommended rim size	11.25/2.0
Permitted rim size	13.00/2.0
Maximum air pressure [bar].	10,00
Section width (mm)	465
Outer diameter of tyre [mm].	1485
Stat. radius (SLR) [mm]	682
Rolling circumference [mm].	4395
Tread depth (mm)	29,5
Number of lugs	32x2
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
	16875	10		10,00	
	22500	0		10,00	