

TYRES

Product group	Tyres
Item number	17416003
Valid tyre size	600 / 50 - 22.5
LI / SI / PR	167 A2 / 159 A8, 20 PR
TL/TT	TT
Brand	Nokian
Tread pattern	Forest King F2



Notes and features

- Robust and stable in challenging conditions in forests.
- Balanced shape and extremely high operational stability.
- Upright, rigid, hard-wearing sidewalls and robust tread.
- Effective puncture protection through steel inserts in the tread.

Technical Informations

Item number	17416003
EAN	6419440232676
Valid tyre size	600 / 50 - 22.5
LI / SI / PR	167 A2 / 159 A8, 20 PR
TL/TT	TT
Brand	Nokian
Tread pattern	Forest King F2
TRA Code	LS-2
Carcass properties	SF
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	143,03
Recommended rim size	20.00
Maximum air pressure [bar].	5,00
Section width (mm)	600
Outer diameter of tyre [mm].	1170
Stat. radius (SLR) [mm]	539
Dynamic radius [mm]	564
Rolling circumference [mm].	3544
Tread depth (mm)	30,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
167 A2	5450	10		5,00	
159 A8	4375	40		5,00	