

TYRES

Product group	Tyres
Item number	17416010
Valid tyre size	600 / 55 - 26.5
LI / SI / PR	172 A2 / 165 A8, 20 PR
TL/TT	TT
Brand	Nokian
Tread pattern	Forest King F2



nokian®
TYRES

Notes and features

- Robust and stable in challenging conditions in forests.
- Balanced shape and extremely high operational stability.
- Upright, rigid, hard-wearing sidewalls and robust tread.
- Effective puncture protection through steel inserts in the tread.

Technical Informations

Item number	17416010
EAN	6419440455730
Valid tyre size	600 / 55 - 26.5
LI / SI / PR	172 A2 / 165 A8, 20 PR
TL/TT	TT
Brand	Nokian
Tread pattern	Forest King F2
TRA Code	LS-2
Carcass properties	SF
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	206,76
Recommended rim size	20.00
Maximum air pressure [bar].	5,00
Section width (mm)	601
Outer diameter of tyre [mm].	1340
Stat. radius (SLR) [mm]	618
Dynamic radius [mm]	648
Rolling circumference [mm].	4071
Tread depth (mm)	35,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
172 A2	6300	10		5,00	
165 A8	5150	40		5,00	