

## **TYRES**

Product group	Tyres	
Item number	17416017	
Valid tyre size	800 / 40 - 26.5	
LI / SI / PR	177 A2 / 170 A8, 20 PR	
TL/TT	тт	
Brand	Nokian	
Tread pattern	Forest King F2	



## **Notes and features**

- Robust and stable in challenging conditions in forests.
- Balanced shape and extremely high operational stability.
- Upright, rigid, hard-wearing sidewalls and robust tread.
- Effective puncture protection through steel inserts in the tread.



## **Technical Informations**

Item number	17416017
EAN	6419440164373
Valid tyre size	800 / 40 - 26.5
LI / SI / PR	177 A2 / 170 A8, 20 PR
TL/TT	тт
Brand	Nokian
Tread pattern	Forest King F2
TRA Code	LS-2
Carcass properties	SF
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	248,80
Recommended rim size	28.00
Maximum air pressure [bar].	5,00
Section width (mm)	800
Outer diameter of tyre [mm].	1340
Stat. radius (SLR) [mm]	620
Dynamic radius [mm]	650
Rolling circumference [mm].	4084
Tread depth (mm)	35,0
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
177 A2	7300	10		5,00	
170 A8	6000	40		5,00	