

TYRES

Product group	Tyres	
Item number	17416110	
Valid tyre size	600 / 65 - 34	
LI / SI / PR	176 A2 / 169 A8, 24 PR	
TL/TT	тт	
Brand	Nokian	
Tread pattern	Forest King TRS 2+	



Notes and features

- The Nokian Forest King TRS 2+ is a forestry tyre, especially for 6-wheel forestry machines.
- The tyre provides excellent ground contact without chains and tracks and prevents soil damage.
- It can be perfectly combined with chains and tracks and supports their function optimally.
- The deep tread pattern with extra lugs in the shoulder area enables perfect chain contact and prevents damage to the tyre when operating with chains.
- An additional rubber ply on the tyre shoulder and steel reinforcements on the tread protect the tyre from damage caused by cuts and piercing.



Technical Informations

Item number	17416110
EAN	6419440400051
Valid tyre size	600 / 65 - 34
LI / SI / PR	176 A2 / 169 A8, 24 PR
TL/TT	ТТ
Brand	Nokian
Tread pattern	Forest King TRS 2+
TRA Code	LS-2
Carcass properties	SF
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	230,85
Recommended rim size	DW20B
Maximum air pressure [bar].	4,00
Section width (mm)	615
Outer diameter of tyre [mm].	1638
Stat. radius (SLR) [mm]	743
Dynamic radius [mm]	790
Rolling circumference [mm].	4964
Tread depth (mm)	50,0
Tyre capacity 75% [ltr.]	415
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
176 A2	7100	10		4,00	
169 A8	5800	40		4,00	