

TYRES

Product group	Tyres
Item number	17427230
Valid tyre size	540 / 70 R 24
LI / SI / PR	170 D
TL/TT	TL
Brand	Nokian
Tread pattern	Hakkapeliitta TRI



Bohnenkamp
Moving Professionals

nokian®
TYRES

Notes and features

- Innovative winter tyre for tractors.
- Precise steering and efficiency: specially-developed compound for low temperatures and icy surfaces. Revolutionary tread design with sipes and activators.
- First-class ride comfort: low vibration resembling the performance of car and truck tyres.
- Excellent traction and lateral grip: more grip edges in contact with the road surface.
- Evenly-distributed surface pressure ensures good grip.

Technical Informations

Item number	17427230
EAN	6419440349671
Valid tyre size	540 / 70 R 24
LI / SI / PR	170 D
TL/TT	TL
Brand	Nokian
Tread pattern	Hakkapeliitta TRI
M+S	M+S
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	149,49
Recommended rim size	DW18L
Permitted rim size	DW16L
Maximum air pressure [bar].	5,00
Section width (mm)	540
Outer diameter of tyre [mm].	1367
Stat. radius (SLR) [mm]	603
Rolling circumference [mm].	4143
Tread depth (mm)	30,0
Tyre capacity 75% [ltr.]	330
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
170 D	6000	65		5,00	