Bohnenkamp Moving Professionals

15.11.2024

TYRES

Product group	Tyres
Item number	17466252
Valid tyre size	215 / 75 R 17.5
LI / SI / PR	126 / 124 M
TL/TT	TL
Brand	Nokian
Tread pattern	E-Truck Drive



Notes and features

- The Nokian E-Truck Drive is an all-season tyre for truck drive axles used in regional and long-distance transport.
- Its tread pattern provides good grip, even in different road and weather conditions.
- Its block pattern guarantees good traction.

- The tread pattern wears evenly and ensures a long service life for the tyre.
- Due to the low rolling resistance, the tyre provides low fuel consumption and good ride comfort.

Bohnenkamp Moving Professionals

Technical Informations

Item number	17466252
EAN	6419440431499
Valid tyre size	215 / 75 R 17.5
LI / SI / PR	126 / 124 M
TL/TT	TL
Brand	Nokian
Tread pattern	E-Truck Drive
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	D
Rolling noise [db].	72
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	23,80
Recommended rim size	6.00
Permitted rim size	6.75
Maximum air pressure [bar].	7,00
Section width (mm)	213
Outer diameter of tyre [mm].	763
Stat. radius (SLR) [mm]	358
Rolling circumference [mm].	2319
Tread depth (mm)	13,4

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.

Bohnenkamp Moving Professionals

15.11.2024

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
126 M	1700	130	Single	7,00	
124 M	1600	130	Twin	7,00	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.