

## **TYRES**

Product group	Tyres	
Item number	17466257	
Valid tyre size	235 / 75 R 17.5	
LI / SI / PR	132 / 130 M	
TL/TT	TL	
Brand	Nokian	
Tread pattern	E-Truck Drive	



## Notes and features

- The Nokian E-Truck Drive is an all-season tyre for truck drive axles used in regional and long-distance transport.
- Its tread pattern provides good grip, even in different road and weather conditions.
- Its block pattern guarantees good traction.

- The tread pattern wears evenly and ensures a long service life for the tyre.
- Due to the low rolling resistance, the tyre provides low fuel consumption and good ride comfort.



## **Technical Informations**

Item number	17466257
EAN	6419440431475
Valid tyre size	235 / 75 R 17.5
LI / SI / PR	132 / 130 M
TL/TT	TL
Brand	Nokian
Tread pattern	E-Truck Drive
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	С
Rolling noise [db].	72
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	26,60
Recommended rim size	6.75
Permitted rim size	7.50
Maximum air pressure [bar].	7,75
Section width (mm)	238
Outer diameter of tyre [mm].	791
Stat. radius (SLR) [mm]	370
Rolling circumference [mm].	2404
Tread depth (mm)	13,8

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



E-Ready	No
---------	----

## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
132 M	2000	130	Single	7,75	
130 M	1900	130	Twin	7,75	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.