

TYRES

Product group	Tyres	
Item number	17466302	
Valid tyre size	265 / 70 R 19.5	
LI / SI / PR	143 / 141 J	
TL/TT	TL	
Brand	Nokian	
Tread pattern	E-Truck Trailer	



Notes and features

- The Nokian E-Truck Trailer is an all-season trailer tyre.
- The pattern with zigzag-shaped grooves provides good stability and prevents damages caused by small stones.
- The robust tyre shoulder and the evenly wearing tread guarantee a long service life for the tyre.
- On top of that, the tyre is characterised by good grip on main roads, low rolling resistance and low fuel consumption.



Technical Informations

Item number	17466302
EAN	6419440351438
Valid tyre size	265 / 70 R 19.5
LI / SI / PR	143 / 141 J
TL/TT	TL
Brand	Nokian
Tread pattern	E-Truck Trailer
M+S	M+S
3PMSF	3PMSF
Axle position truck	TR
Rolling resistance	D
Wet grip	A
Rolling noise [db].	71
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	40,80
Recommended rim size	7.50
Permitted rim size	6.75, 8.25
Maximum air pressure [bar].	8,50
Section width (mm)	250
Outer diameter of tyre [mm].	871
Stat. radius (SLR) [mm]	404
Rolling circumference [mm].	2648
Tread depth (mm)	13,5

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



E-Ready	No
---------	----

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 J	2725	100	Single	8,50	
141 J	2575	100	Twin	8,50	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.