Bohnenkamp

TYRES

Product group	Tyres	
Item number	17466420	
Valid tyre size	315 / 80 R 22.5	
LI / SI / PR	154 / 150 M (156 / 150 L)	
TL/TT	TL	
Brand	Nokian	
Tread pattern	Hakka Truck Drive	



Notes and features

- The Nokian Hakka Truck Drive is an all-season tyre for drive axles for regional and long-distance transport.
- Its open V-shaped tread pattern with efficient sipes provides a secure grip in wintry conditions and good selfcleaning properties.
- The tyre wears evenly and has a long service life.
- It is equipped with DSI (Driving Safety Indication), which reliably indicates the remaining tread on the tyre.

Bohnenkamp Moving Professionals

Technical Informations

Item number	17466420
EAN	6419440169521
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	154 / 150 M (156 / 150 L)
TL/TT	TL
Brand	Nokian
Tread pattern	Hakka Truck Drive
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	С
Rolling noise [db].	74
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	70,90
Recommended rim size	9.00
Maximum air pressure [bar].	8,50
Section width (mm)	312
Outer diameter of tyre [mm].	1085
Stat. radius (SLR) [mm]	504
Rolling circumference [mm].	3298
Tread depth (mm)	18,5
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
154 M	3750	130	Single	8,25	
156 L	4000	120	Single	8,50	
150 M	3350	130	Twin	8,25	
150 L	3350	120	Twin	8,50	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.