

## **TYRES**

Product group	Tyres	
Item number	17466510	
Valid tyre size	315 / 70 R 22.5	
LI / SI / PR	154 / 150 L (152 / 148 M)	
TL/TT	TL	
Brand	Nokian	
Tread pattern	E-Truck Steer	



## Notes and features

- The Nokian E-Truck is an all-season tyre for truck steer axles or buses used in regional and long-distance transport.
- Thanks to its spiral-shaped sipes, the tyre ensures very good handling on wet roads.
- Its special zigzag-shaped grooves eject small stones and prevent damage.
- The tread pattern wears evenly and ensures a long service life for the tyre.



## **Technical Informations**

Item number	17466510
EAN	6419440253299
Valid tyre size	315 / 70 R 22.5
LI / SI / PR	154 / 150 L (152 / 148 M)
TL/TT	TL
Brand	Nokian
Tread pattern	E-Truck Steer
M+S	M+S
3PMSF	3PMSF
Axle position truck	FA
Rolling resistance	С
Wet grip	A
Rolling noise [db].	70
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	64,00
Recommended rim size	9.00
Maximum air pressure [bar].	9,00
Section width (mm)	318
Outer diameter of tyre [mm].	1019
Stat. radius (SLR) [mm]	473
Rolling circumference [mm].	3097
Tread depth (mm)	13,5
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
154 L	3750	120	Single	9,00	
152 M	3550	130	Single	9,00	
150 L	3350	120	Twin	9,00	
148 M	3150	130	Twin	9,00	