Bohnenkamp

15.11.2024

TYRES

Product group	Tyres	
Item number	17466526	
Valid tyre size	315 / 80 R 22.5	
LI / SI / PR	154 / 150 M (156 / 150 L)	
TL/TT	TL	
Brand	Nokian	
Tread pattern	E-Truck Drive	



Notes and features

- The Nokian E-Truck Drive is an all-season tyre for truck drive axles used in regional and long-distance transport.
- Its tread pattern provides good grip, even in different road and weather conditions.
- Its block pattern guarantees good traction.

- The tread pattern wears evenly and ensures a long service life for the tyre.
- Due to the low rolling resistance, the tyre provides low fuel consumption and good ride comfort.

Bohnenkamp Moving Professionals

Technical Informations

Item number	17466526		
EAN	6419440514086		
Valid tyre size	315 / 80 R 22.5		
LI / SI / PR	154 / 150 M (156 / 150 L)		
TL/TT	TL		
Brand	Nokian		
Tread pattern	E-Truck Drive		
M+S	M+S		
3PMSF	3PMSF		
Axle position truck	RA		
Rolling resistance	D		
Wet grip	C		
Rolling noise [db].	76		
Rolling noise level	В		
Antistatic	No		
Tyre colour	Black		
Nettogewicht [kg] (gültig)	73,00		
Recommended rim size	9.00		
Permitted rim size	9.75		
Maximum air pressure [bar].	8,25		
Section width (mm)	314		
Outer diameter of tyre [mm].	1081		
Rolling circumference [mm].	3286		
Tread depth (mm)	17,5		
E-Ready	No		

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
154 M	3750	130	Single	8,25	
156 L	4000	120	Single	8,25	
150 M	3350	130	Twin	8,25	
150 L	3350	120	Twin	8,25	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.