

TYRES

| | |
|-----------------|---------------|
| Product group | Tyres |
| Item number | 18345287 |
| Valid tyre size | 175 / 70 R 13 |
| LI / SI / PR | 86 N |
| TL/TT | TL |
| Brand | Security |
| Tread pattern | AW414 |



Notes and features

- The AW-414 is a specially developed tyre with increased load capacity for car trailers.
- Its all-weather tread pattern ensures good grip in all weather conditions.

Technical Informations

| | |
|------------------------------|----------------|
| Item number | 18345287 |
| EAN | 4260399944118 |
| Valid tyre size | 175 / 70 R 13 |
| LI / SI / PR | 86 N |
| TL/TT | TL |
| Brand | Security |
| Tread pattern | AW414 |
| M+S | M+S |
| Rolling resistance | D |
| Wet grip | C |
| Rolling noise [db]. | 70 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 6,60 |
| Recommended rim size | 4.50 |
| Permitted rim size | 4, 5 |
| Maximum air pressure [bar]. | 2,70 |
| Section width (mm) | 177 |
| Outer diameter of tyre [mm]. | 576 |
| Stat. radius (SLR) [mm] | 261 |
| Rolling circumference [mm]. | 1757 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 86 N | 530 | 140 | | 2,70 | |