

## TYRES

Product group	Tyres
Item number	18366381
Valid tyre size	225 / 70 R 15 C
LI / SI / PR	112 / 110 R (116 N), 8 PR
TL/TT	TL
Brand	Security
Tread pattern	TR603
Sonderpostenkategorie	DOT
type of damage	DOT



Bohnenkamp  
■ ■ ● Moving Professionals

## Notes and features

- The Security TR 603 is a professional tyre for use on car trailers.
- The tyre is reinforced by additional casing plies and offers very good stability.

## Technical Informations

Item number	18366381
EAN	4040658065361
Valid tyre size	225 / 70 R 15 C
LI / SI / PR	112 / 110 R (116 N), 8 PR
TL/TT	TL
Brand	Security
Tread pattern	TR603
M+S	M+S
Rolling resistance	C
Wet grip	C
Rolling noise [db].	72
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	12,90
Recommended rim size	6.50J
Maximum air pressure [bar].	4,50
Section width (mm)	228
Outer diameter of tyre [mm].	697
Stat. radius (SLR) [mm]	317
Rolling circumference [mm].	2112
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
112 R	1120	170		4,50	
116 N	1250	140		4,50	
110 R	1060	170		4,50	