

TYRES

Product group	Tyres
Item number	18545390
Valid tyre size	195 / 70 R 14
LI / SI / PR	96 N
TL/TT	TL
Brand	Boka Trailer Line
Tread pattern	FT 01



Bohnenkamp
■ ■ ● Moving Professionals

BOKA TRAILER

Notes and features

- Increased payload, especially for use with caravans and trailers.
- Reinforced sidewall design.
- Special tread pattern design for stable driving behaviour.

Technical Informations

Item number	18545390
EAN	4040658085420
Valid tyre size	195 / 70 R 14
LI / SI / PR	96 N
TL/TT	TL
Brand	Boka Trailer Line
Tread pattern	FT 01
M+S	M+S
Rolling resistance	D
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 30,ECE 117
Nettogewicht [kg] (gültig)	8,05
Recommended rim size	6
Maximum air pressure [bar].	3,40
Section width (mm)	201
Outer diameter of tyre [mm].	630
Rolling circumference [mm].	1972
Tread depth (mm)	6,2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
96 N	710	140		3,40	