

## **TYRES**

Product group	Tyres	
Item number	19110046	
Valid tyre size	4.10 / 3.50 - 5	
LI / SI / PR	4 PR	
TL/TT	тт	
SET	Tube	
Brand	Deli	
Tread pattern	S-356	



## Notes and features

• Versatile small tyre with block tread pattern.

• Ideally suited for transport equipment.



## **Technical Informations**

Item number	19110046
EAN	8994242015613
Valid tyre size	4.10 / 3.50 - 5
LI / SI / PR	4 PR
TL/TT	TT
SET	Tube
Valve designation	TR 87
Ventilposition	central
Brand	Deli
Tread pattern	S-356
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	1,18
Recommended rim size	3.00
Permitted rim size	2.10
Maximum air pressure [bar].	3,50
Section width (mm)	96
Outer diameter of tyre [mm].	298
Stat. radius (SLR) [mm]	132
Rolling circumference [mm].	895
Tread depth (mm)	4,0
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
	175	20		3,50	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.