Bohnenkamp Moving Professionals

TYRES

Product group	Tyres	
Item number	19110083	
Valid tyre size	16 x 6.50 - 8	
LI / SI / PR	60 A6 / 72 A6, 6 PR	
TL/TT	TT	
SET	Tube	
Brand	Deli	
Tread pattern	S-365	



Notes and features

• Tyre for professional use on lawns, gardens and golf courses.

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.

Bohnenkamp Moving Professionals

Technical Informations

Item number	19110083
EAN	8994242027173
Valid tyre size	16 x 6.50 - 8
LI / SI / PR	60 A6 / 72 A6, 6 PR
TL/TT	TT
SET	Tube
Valve designation	TR 13
Ventilposition	lateral
Brand	Deli
Tread pattern	S-365
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	3,00
Recommended rim size	5.375
Maximum air pressure [bar].	2,90
Section width (mm)	170
Outer diameter of tyre [mm].	412
Stat. radius (SLR) [mm]	184
Rolling circumference [mm].	1207
Tread depth (mm)	5,0
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
60 A6	250	30	Drive Wheel	2,90	
72 A6	355	30	Free Rolling	2,90	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes.Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.