

TYRES

| | |
|-----------------|----------------------|
| Product group | Tyres |
| Item number | 19111116 |
| Valid tyre size | 23 x 10.50 - 12 |
| LI / SI / PR | 94 A8 / 107 A8, 8 PR |
| TL/TT | TL |
| Brand | Deli |
| Tread pattern | SG-818 |



Notes and features

- The Deli SG-818 was specially developed for use on skid steer loaders and compact tractors.
- Its tractor pattern offers very good traction and excellent self-cleaning properties.
- Even on soft and muddy surfaces, the tyre offers very good performance.

Technical Informations

| | |
|------------------------------|----------------------|
| Item number | 19111116 |
| EAN | 8994242027043 |
| Valid tyre size | 23 x 10.50 - 12 |
| LI / SI / PR | 94 A8 / 107 A8, 8 PR |
| TL/TT | TL |
| Brand | Deli |
| Tread pattern | SG-818 |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 106 |
| Nettogewicht [kg] (gültig) | 10,50 |
| Recommended rim size | 8.50I |
| Permitted rim size | 7.00I |
| Maximum air pressure [bar]. | 2,50 |
| Section width (mm) | 263 |
| Outer diameter of tyre [mm]. | 578 |
| Stat. radius (SLR) [mm] | 254 |
| Rolling circumference [mm]. | 1731 |
| Tread depth (mm) | 15,2 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 94 A8 | 670 | 40 | Drive Wheel | 2,50 | |
| 107 A8 | 975 | 40 | Free Rolling | 2,50 | |
| | 985 | 0 | Drive Wheel | 3,00 | |
| | 1105 | 5 | Drive Wheel | 3,00 | |